Author index

Allen, J.F. and Melis, A.
The rate of P-700 photooxidation under continuous illumination is independent of State 1–State 2 transitions in the green alga *Scenedesmus obliquus* (933) 95
Amesz, J., see Vos, M. (933) 132
Astier, C., see Kirilovsky, D. (933) 124

Barber, J., see Chapman, D.J. (933) 423
Bertrand, P., Guigliarelli, B., Gayda, J.-P., Sétif, P. and Mathis, P.
An interpretation of the peculiar magnetic properties of center X in Photosystem I in terms of a 2Fe-2S cluster (933) 393
Biaudet, P., De Kouchkovsky, F. and Haraux, F.
ΔpH-activation of the thiol-modified chloroplast ATP hydrolase. Nucleotide binding effects (933) 487
Bisaccia, F., Indiveri, C. and Palmieri, F.
Purification and reconstitution of two anion carriers from rat liver mitochondria: the dicarboxylate and the 2-oxoglutarate carrier (933) 229
Boekema, E.J., Van Heel, M. and Gräber, P.
Structure of the ATP synthase from chloroplasts studied by electron microscopy and image processing (933) 365
Bolgiano, B., Smith, L. and Davies, H.C.
Kinetics of the interaction of the cytochrome *c* oxidase of *Paracoccus denitrificans* with its own and bovine cytochrome *c* (933) 341
Brettel, K., see Schlodder, E. (933) 22

Camp, P.J., Miernyk, J.A. and Randall, D.D.
Some kinetic and regulatory properties of the pea chloroplast pyruvate dehydrogenase complex (933) 269
Carter, K., see Georgiou, C.D. (933) 179
Chapman, D.J., Gounaris, K. and Barber, J.
Electron-transport properties of the isolated D1-D2-cytochrome *b*-559 Photosystem II reaction centre (933) 423
Choo, W.M., see Hadikusumo, R.G. (933) 212
Cokic, P., see Georgiou, C.D. (933) 179
Cope, M., see Wray, S. (933) 184
Coughlan, S.J.
Chloroplast thylakoid protein phosphorylation is influenced by mutations in the cytochrome *bf* complex (933) 413
Cox, G., see Lightowlers, R.N. (933) 241
Cremers, F.F.M., Voorhout, W.F., Van der Krift, T.P., Leunissen-Bijvelt, J.J.M. and Verkleij, A.J.
Visualization of contact sites between outer and inner envelope membranes in isolated chloroplasts (933) 334

Davidson, M.W., Gray, K.A., Knaff, D.B. and Krulwich, T.A.
Purification and characterization of two soluble cytochromes from the alkalophile *Bacillus firmus* RAB (933) 470
Davies, H.C., see Bolgiano, B. (933) 341
De Kouchkovsky, F., see Biaudet, P. (933) 487
Delpy, D.T., see Wray, S. (933) 184
De Silva, D.G.A.H., Powls, R. and Sykes, A.G.
Kinetic studies on redox reactions of *Scenedesmus obliquus* and *Anabaena variabilis* cytochrome *c*-553 with $[Fe(CN)_6]^{3-,4-}$ and $[Co(phen)_3]^{3+,2+}$ and comparisons with data for the corresponding reactions of plastocyanin from the same two algal sources (933) 460
De Vitry, C. and Wollman, F.-A.
Changes in phosphorylation of thylakoid membrane proteins in light-harvesting complex mutants from *Chlamydomonas reinhardtii* (933) 444
Diversé-Pierluissi, M. and Krogmann, D.W.
A zeaxanthin protein from *Anacystis nidulans* (933) 372
Drews, G., see Wacker, T. (933) 299
Dutton, P.L., see Packham, N.K. (933) 70

ElKurdi, A.B., see Goodhew, C.F. (933) 114
Étienne, A.-L., see Kirilovsky, D. (933) 124

Falkowski, P.G., Kolber, Z. and Fujita, Y.
Effect of redox state on the dynamics Photosystem II during steady-state photosynthesis in eucaryotic algae (933) 432
Feierabend, B. and Schumann, J.
Kinetics of nucleotide exchange and of ATP hydrolysis by isolated chloroplast coupling factor CF_1 in the presence of inhibitors (933) 351
Fischer, R., see Sandström, Å. (933) 42
Fujita, Y., see Falkowski, P.G. (933) 432
Fukui, Y., see Terada, H. (933) 193
Fukushima, A., Matsuura, K., Shimada, K. and Satoh, T.
Reaction center-B870 pigment protein complexes with bound cytochromes *c*-555 and *c*-551 from *Rhodocyclus gelatinosus* (933) 399

Gad'on, N., see Wacker, T. (933) 299
Gayda, J.-P., see Bertrand, P. (933) 393
Gennis, R.B., see Georgiou, C.D. (933) 179
Georgiou, C.D., Cokic, P., Carter, K., Webster, D.A. and Gennis, R.B.
Relationships between membrane-bound cytochrome *o* from *Vitreoscilla* and that of *Escherichia coli* (933) 179
Gibson, F., see Lightowlers, R.N. (933) 241

Gillbro, T., see Sandström, Å. (933) 42
Gillbro, T., see Sandström, Å. (933) 54
Goodhew, C.F., ElKurdi, A.B. and Pettigrew, G.W.
The microaerophilic respiration of *Campylobacter mucosalis* (933) 114
Gounaris, K., see Chapman, D.J. (933) 423
Gräber, P., see Boekema, E.J. (933) 365
Gray, K.A., see Davidson, M.W. (933) 470
Guigliarelli, B., see Bertrand, P. (933) 393

Hadikusumo, R.G., Meltzer, S., Choo, W.M., Jean-François, M.J.B., Linnane, A.W. and Marzuki, S.
The definition of mitochondrial H^+ATPase assembly defects in *mit*$^-$ mutants of *Saccharomyces cerevisiae* with a monoclonal antibody to the enzyme complex as an assembly probe (933) 212
Haehnel, W., see Ratajczak, R. (933) 306
Hamamoto, T., see Ohta, S. (933) 141
Haraux, F., see Biaudet, P. (933) 487
Harris, D.A., see Lippe, G. (933) 1
Harris, D.A., see Lippe, G. (933) 12
Hatch, L., see Lightowlers, R.N. (933) 241
Hertzog, P.J., see Jean-François, M.J.B. (933) 223
Hipkins, M.F., see Raines, C.A. (933) 172
Hirata, H., see Ohta, S. (933) 141
Hisabori, T., see Yohda, M. (933) 156
Høj, P.B., see Scheller, H.V. (933) 501
Holzwarth, A.R., see Sandström, Å. (933) 54
Horak, A., see Horak, H. (933) 389
Horak, H., Packer, M. and Horak, A.
Oxidative phosphorylation in a hybrid system containing bovine heart membranes and pea mitochondrial F_1-ATPase (933) 389
Howitt, S.M., see Lightowlers, R.N. (933) 241
Hunter, C.N., see Vos, M. (933) 132

Indiveri, C., see Bisaccia, F. (933) 229
Inoue, Y., see Ohad, I. (933) 288
Ishizuka, M., see Ohta, S. (933) 141
Itoh, S., see Mimuro, M. (933) 478

Jean-François, M.J.B., Hertzog, P.J. and Marzuki, S.
Isolation and characterisation of monoclonal antibodies against hydrophobic membrane subunit 9 of the yeast mitochondrial H^+-ATPase (933) 223
Jean-François, M.J.B., see Hadikusumo, R.G. (933) 212
Johansen, J.
A possible role for hydrogen peroxide as a naturally occurring electron donor in photosynthetic oxygen evolution (933) 406
Joliot, A., see Joliot, P. (933) 319
Joliot, P. and Joliot, A.
The low-potential electron-transfer chain in the cytochrome *b/f* complex (933) 319
Jones, R.W. and Whitmarsh, J.
Inhibition of electron transfer and the electrogenic reaction in the cytochrome *b/f* complex by 2-*n*-nonyl-4-hydroxyquinoline *N*-oxide (NQNO) and 2,5-dibromo-3-methyl-6-isopropyl-*p*-benzoquinone (DBMIB) (933) 258
Ju-ichi, M., see Terada, H. (933) 193

Kagawa, Y., see Ohta, S. (933) 141
Kagawa, Y., see Yohda, M. (933) 156
Kaneda, M., see Yamaguchi, T. (933) 450
Katoh, S., see Shen, J.-R. (933) 358
Kirilovsky, D., Vernotte, C., Astier, C. and Étienne, A.-L.
Reversible and irreversible photoinhibition in herbicide-resistant mutants of *Synechocystis* 6714 (933) 124
Kischkoweit, C., Leibl, W. and Trissl, H.-W.
Theoretical and experimental study of trapping times and antenna organization in pea chloroplasts by means of the artificial fluorescence quencher *m*-dinitrobenzene (933) 276
Knaff, D.B., see Davidson, M.W. (933) 470
Koike, H., see Ohad, I. (933) 288
Kolber, Z., see Falkowski, P.G. (933) 432
Krämer, R., see Sambasivarao, D. (933) 200
Krogmann, D.W., see Diversé-Pierluissi, M. (933) 372
Krulwich, T.A., see Davidson, M.W. (933) 470

Leibl, W., see Kischkoweit, C. (933) 276
Lemaire, C., see Wollman, F.-A. (933) 85
Leunissen-Bijvelt, J.J.M., see Cremers, F.F.M. (933) 334
Lightowlers, R.N., Howitt, S.M., Hatch, L., Gibson, F. and Cox, G.
The proton pore in the *Escherichia coli* F_0F_1-ATPase: substitution of glutamate by glutamine at position 219 of the *a*-subunit prevents F_0-mediated proton permeability (933) 241
Lindberg Møller, B., see Scheller, H.V. (933) 501
Linnane, A.W., see Hadikusumo, R.G. (933) 212
Lippe, G., Sorgato, M.C. and Harris, D.A.
Kinetics of the release of the mitochondrial inhibitor protein. Correlation with synthesis and hydrolysis of ATP (933) 1
Lippe, G., Sorgato, M.C. and Harris, D.A.
The binding and release of the inhibitor protein are governed independently by ATP and membrane potential in ox-heart submitochondrial vesicles (933) 12

Marzuki, S., see Hadikusumo, R.G. (933) 212
Marzuki, S., see Jean-François, M.J.B. (933) 223
Mathis, P., see Bertrand, P. (933) 393
Matsuda, K., see Ohta, S. (933) 141
Matsuura, K., see Fukushima, A. (933) 399
Melis, A., see Allen, J.F. (933) 95
Meltzer, S., see Hadikusumo, R.G. (933) 212
Miernyk, J.A., see Camp, P.J. (933) 269
Mimuro, M., Yamazaki, I., Itoh, S., Tamai, N. and Satoh, K.
Dynamic fluorescence properties of D1-D2-cytochrome *b*-559 complex isolated from spinach chloroplasts: analysis by means of the time-resolved fluorescence spectra in picosecond time range (933) 478
Mitchell, P., see West, I.C. (933) 35
Mitchell, R., see Ratajczak, R. (933) 306

Mueller, P., see Packham, N.K. (933) 70
Mulder, M.M., Van der Gulden, H.M.L., Postma, P.W. and Van Dam, K.
Energetic consequences of two mutations in *Escherichia coli* K^+ uptake systems for growth under potassium-limited conditions in the chemostat (933) 65

Ohad, I., Koike, H., Shochat, S. and Inoue, Y.
Changes in the properties of reaction center II during the initial stages of photoinhibition as revealed by thermoluminescence measurements (933) 288
Ohta, S., Yohda, M., Ishizuka, M., Hirata, H., Hamamoto, T., Otawara-Hamamoto, Y., Matsuda, K. and Kagawa, Y.
Sequence and over-expression of subunits of adenosine triphosphate synthase in thermophilic bacterium PS3 (933) 141
Ohta, S., see Yohda, M. (933) 156
Otawara-Hamamoto, Y., see Ohta, S. (933) 141

Packer, M., see Horak, H. (933) 389
Packham, N.K., Mueller, P. and Dutton, P.L.
Photoelectric currents across planar bilayer membranes containing bacterial reaction centers: the response under conditions of multiple reaction-center turnovers (933) 70
Palmieri, F., see Bisaccia, F. (933) 229
Peterson, J.B.
On the role of flavin in malate oxidation by *Azotobacter vinelandii* respiratory membranes (933) 107
Pettigrew, G.W., see Goodhew, C.F. (933) 114
Postma, P.W., see Mulder, M.M. (933) 65
Powls, R., see De Silva, D.G.A.H. (933) 460

Raines, C.A. and Hipkins, M.F.
Proteolytic enzymes stimulate both the ATP synthesis and hydrolysis functions of the chloroplast ATPase complex (933) 172
Randall, D.D., see Camp, P.J. (933) 269
Rao, N.M., see Sambasivarao, D. (933) 200
Ratajczak, R., Mitchell, R. and Haehnel, W.
Properties of the oxidizing site of Photosystem I (933) 306
Reynolds, E.O.R., see Wray, S. (933) 184
Rich, P.R., see West, I.C. (933) 35
Rutherford, A.W., see Styring, S. (933) 378

Sambasivarao, D., Krämer, R., Rao, N.M. and Sitaramam, V.
ATP hydrolysis induces variable porosity to mannitol in the mitochondrial inner membrane (933) 200
Sandström, Å., Gillbro, T., Sundström, V., Fischer, R. and Scheer, H.
Picosecond time-resolved energy transfer within C-phycocyanin aggregates of *Mastigocladus laminosus* (933) 42
Sandström, Å., Gillbro, T., Sundström, V., Wendler, J. and Holzwarth, A.R.
Picosecond study of energy transfer within 18-S particles of AN 112 (a mutant of *Synechococcus* 6301) phycobilisomes (933) 54
Satoh, K., see Mimuro, M. (933) 478
Satoh, K., see Shen, J.-R. (933) 358
Satoh, T., see Fukushima, A. (933) 399
Scheer, H., see Sandström, Å. (933) 42
Scheller, H.V., Høj, P.B., Svendsen, I. and Lindberg Møller, B.
Partial amino acid sequences of two nuclear-encoded Photosystem I polypeptides from barley (933) 501
Schlodder, E. and Brettel, K.
Primary charge separation in closed Photosystem II with a lifetime of 11 ns. Flash-absorption spectroscopy with O_2-evolving Photosystem II complexes from *Synechococcus* (933) 22
Schumann, J., see Feierabend, B. (933) 351
Sétif, P., see Bertrand, P. (933) 393
Shen, J.-R., Satoh, K. and Katoh, S.
Calcium content of oxygen-evolving Photosystem II preparations from higher plants. Effects of NaCl treatment (933) 358
Shimada, K., see Fukushima, A. (933) 399
Shinohara, Y., see Terada, H. (933) 193
Shochat, S., see Ohad, I. (933) 288
Sitaramam, V., see Sambasivarao, D. (933) 200
Smith, L., see Bolgiano, B. (933) 341
Sorgato, M.C., see Lippe, G. (933) 1
Sorgato, M.C., see Lippe, G. (933) 12
Steck, K., see Wacker, T. (933) 299
Styring, S. and Rutherford, A.W.
Deactivation kinetics and temperature dependence of the S-state transitions in the oxygen-evolving system of Photosystem II measured by EPR spectroscopy (933) 378
Sundström, V., see Sandström, Å. (933) 42
Sundström, V., see Sandström, Å. (933) 54
Svendsen, I., see Scheller, H.V. (933) 501
Sykes, A.G., see De Silva, D.G.A.H. (933) 460

Tamai, N., see Mimuro, M. (933) 478
Terada, H., Fukui, Y., Shinohara, Y. and Ju-ichi, M.
Unique action of a modified weakly acidic uncoupler without an acidic group, methylated SF 6847, as an inhibitor of oxidative phosphorylation with no uncoupling activity: possible identity of uncoupler binding protein (933) 193
Trissl, H.-W., see Kischkoweit, C. (933) 276

Van Dam, K., see Mulder, M.M. (933) 65
Van der Gulden, H.M.L., see Mulder, M.M. (933) 65
Van der Krift, T.P., see Cremers, F.F.M. (933) 334
Van Dorssen, R.J., see Vos, M. (933) 132
Van Grondelle, R., see Vos, M. (933) 132
Van Heel, M., see Boekema, E.J. (933) 365
Velthuys, B.R.
Spectroscopic characterization of the acceptor state Q_A^- and the donor state S2 of Photosystem II of spinach in the blue, red and near-infrared (933) 249
Verkleij, A.J., see Cremers, F.F.M. (933) 334
Vernotte, C., see Kirilovsky, D. (933) 124
Voorhout, W.F., see Cremers, F.F.M. (933) 334
Vos, M., Van Dorssen, R.J., Amesz, J., Van Grondelle, R. and Hunter, C.N.
The organization of the photosynthetic apparatus of

Rhodobacter sphaeroides: studies of antenna mutants using singlet–singlet quenching (933) 132

Wacker, T., Gad'on, N., Steck, K., Welte, W. and Drews, G.
Isolation of reaction center and antenna complexes from the halophilic purple bacterium *Rhodospirillum salexigens*. Crystallization and spectroscopic investigation of the B800-850 complex (933) 299
Webster, D.A., see Georgiou, C.D. (933) 179
Welte, W., see Wacker, T. (933) 299
Wendler, J., see Sandström, Å. (933) 54
West, I.C., Mitchell, P. and Rich, P.R.
Electron conduction between *b* cytochromes of the mitochondrial respiratory chain in the presence of antimycin plus myxothiazol (933) 35
Whitmarsh, J., see Jones, R.W. (933) 258
Wollman, F.-A. and Lemaire, C.
Studies on kinase-controlled state transitions in Photosystem II and b_6f mutants from *Chlamydomonas reinhardtii* which lack quinone-binding proteins (933) 85
Wollman, F.-A., see De Vitry, C. (933) 444
Wray, S., Cope, M., Delpy, D.T., Wyatt, J.S. and Reynolds, E.O.R.
Characterization of the near infrared absorption spectra of cytochrome aa_3 and haemoglobin for the non-invasive monitoring of cerebral oxygenation (933) 184
Wyatt, J.S., see Wray, S. (933) 184

Yamaguchi, T. and Kaneda, M.
Presence of cytochrome *b*-558 in guinea-pig alveolar macrophages – subcellular localization and relationship with NADPH oxidase (933) 450
Yamamoto, Y.
Analysis of the relationship between the extrinsic 30-kDa protein, manganese and oxygen evolution in the thylakoid of *Chlamydomonas reinhardtii* grown under manganese-deficient conditions (933) 165
Yamazaki, I., see Mimuro, M. (933) 478
Yohda, M., Ohta, S., Hisabori, T. and Kagawa, Y.
Site-directed mutagenesis of stable adenosine triphosphate synthase (933) 156
Yohda, M., see Ohta, S. (933) 141